Instructions: Show all work. Give exact answers unless specifically asked to round. All complex numbers should be stated in standard form, and all complex fractions should be simplified. If you do not show work, problems will be graded as "all or nothing" for the answer only; partial credit will not be possible and any credit awarded for the work will not be available.

1. Use technology to graph the direction/slope field for each differential equation below. For each slope field, select two different sets of initial conditions and plot the trajectory of the graph from that point. Note any equilibria (points or lines where the slope is zero). Attach your graphs. (10 points each)

a.
$$\frac{dy}{dx} = \frac{x(y^2+x)}{5}$$

b. $\frac{dy}{dx} = \frac{\ln(x^2+1)y(x^2-4)}{4}$

2. Solve the homogeneous equation $4(x^2 + y^2)dx + xydy = 0$. (10 points)

3. Solve the Bernoulli equation $xy' + 4y = x^4y^3$. (10 points)

4. Consider the system of differential equations $\begin{cases} \frac{dx}{dt} = 0.6x - 0.02xy\\ \frac{dy}{dt} = -0.2y + 0.004xy \end{cases}$. Use technology to

graph the phase plane. Describe the behavior of the system. Identify any equilibria and characterize its stability. Describe the behavior of each population in the absence of the other one. Determine if the population model is cooperative, competitive or predator-prey. Explain your reasoning. (12 points)

Instructions: Show all work. Give exact answers unless specifically asked to round. All complex numbers should be stated in standard form, and all complex fractions should be simplified. If you do not show work, problems will be graded as "all or nothing" for the answer only; partial credit will not be possible and any credit awarded for the work will not be available.

5. Verify that $y = -\sqrt{\ln^2 x + e}$ is a solution to the differential equation $\frac{dy}{dx} = \frac{\ln x}{xy}$. [Do not solve the equation from scratch. Verify the given solution. No integration is involved.] (10 points)


6. Graph the direction field for the equation $y' = y(y^2 - 4)$ by hand. Note any equilibria and describe their stability. (10 points)

7. Use the properties of the Uniqueness and Existence Theorem to determine where the differential equation $y'=\frac{\ln(x^2-1)}{\sqrt{4-x^2-y^2}}$ is guaranteed to have a solution. Sketch the graph of the restrictions. (12 points)

8. Use Euler's Method with the indicated step size to find an estimate of the solution at the indicated point: $y' = \frac{1}{4}xy - 1$, y(2) = 5, $\Delta x = 0.5$, y(3) = ? (15 points)

9. Solve the differential equation $\frac{dy}{dx} = \frac{y^2 + 1}{xy}$, y(1) = 2 using separation of variables. (12 points)

10. Initially a tank contains 1kg of salt dissolved in 1000L of water. Salty water containing 4kg/L at a rate of 3L/min is added to the tank and the (stirred) solution is draining from the tank at 4L/min. Determine an equation for how much salt is in the tank at any time *t*. Determine the amount of salt in the tank when 500L is left. (15 points)



11. Solve the linear differential equation y' - 3y = -3x, by the method of integrating factors (reverse product rule). (12 points)

12. Classify the differential equations by order, linearity and whether it is ordinary or partial. (2 points each)

(2 points each)
a.
$$\frac{dy}{dt} = t^2y - \cos t$$

b.
$$\left(\frac{dy}{dy}\right)^2 = \ln t + y$$

$$c. \quad u_{xx} - u_{yy} = u_{xy}$$