

Instructions: Work the problems below as directed. Show all work. Clearly mark your final answers. Use exact values unless the problem specifically directs you to round. Simplify as much as possible. Partial credit is possible, but solutions without work will not receive full credit.

1. Find the indicated antiderivatives.

a. $\int 3^x + \frac{e^{\sqrt{x}}}{\sqrt{x}} dx$ $u = \sqrt{x} \rightarrow du = \frac{1}{2\sqrt{x}} dx \rightarrow 2 du = \frac{1}{\sqrt{x}} dx$

$$\frac{3^x}{\ln 3} + \int 2e^u du = \boxed{\frac{3^x}{\ln 3} + 2e^{\sqrt{x}} + C}$$

b. $\int \frac{1}{x(\ln x)^2} dx$ $u = \ln x \rightarrow du = \frac{1}{x} dx$

$$\int \frac{1}{u^2} du = -u^{-1} + C = -(\ln x)^{-1} + C = \boxed{\frac{-1}{\ln x} + C}$$

c. $\int \frac{dx}{9+x^2} = \frac{1}{3} \arctan\left(\frac{x}{3}\right) + C$

2. Select an appropriate change of variables to integrate $\int x\sqrt{1-x} dx$.

$$u = \sqrt{1-x}$$

$$u^2 = 1-x$$

$$1-u^2 = x$$

$$dx = -2u du$$

$$\int (1-u^2) \cdot u \cdot (-2u du) =$$

$$\int -2u^2 + 2u^4 du =$$

$$-\frac{2}{3}u^3 + \frac{2}{5}u^5 + C$$

$$\boxed{-\frac{2}{3}(1-x)^{3/2} + \frac{2}{5}(1-x)^{5/2} + C}$$